

COLLISION REPAIR KITS


HB 210M (Code: 4001)



Features:

- Quick coupler design for fast and easy assembly and disassembly.
- Extra thick extension tubes design for more strength.
- Blow molded case for organized component storage and ease of carrying. The case for the 10 ton kit has wheels for easy of mobility.
- 2-speed hand pump delivers 10,000 psi and with automatic overload system to prevent against operator injury.
- Flexible hydraulic hose with spring guards at both ends.

HB 513M (Code: 4002)



Features:

- All components with threaded connection design for adding strength and durability.
- 2-speed hand pump delivers 10,000 psi and with automatic overload system against operator injury.
- Flexible hydraulic hose with spring guards at both ends.

HB 613M (Code: 4003)



Features:

- The components are joined by threaded connectors.
- 3 tray trolley provide the storage and maneuvering.
- 2-speed hand pump delivers 10,000 psi and with automatic overload system against operator injury.
- Flexible hydraulic hose with spring guards at both ends.


ACCESSORIES

HAND PUMP

| | |
|----------------------------|---|
| Code | 4025 |
| Model | HB 600 |
| Pressure Rating (Bar) | 1 st Stage 13.8 2 nd Stage 700 |
| Usable Oil Capacity (cc) | 600 |
| Oil Volume Per Stroke (cc) | 1 st Stage 13.8 2 nd Stage 2.8 |
| A (mm) | 543 |
| B (mm) | 480 |
| C (mm) | 90 |
| D (mm) | 146 |
| E (mm) | 142 |
| F | 3/8 NPT |



HB 600




RAM

| | |
|----------|---------------|
| Code | 4050 |
| Model | RB 106 |
| Capacity | 10 Ton |
| Stroke | 153 mm |
| A (mm) | 352 |
| B (mm) | 505 |
| D (mm) | 45 |
| E | 1/4 NPT |
| F (mm) | 57 |
| G (mm) | 45 |
| H (mm) | 48 |
| J | 2 1/4"-14UN |
| K | 1 1/4 NPT |
| M (mm) | 37.9 |
| N (mm) | 32 |
| O (mm) | 45 |
| P (mm) | 1 1/4 NPT |
| Weight | 5.6 kg |




RB 106




AIR / HYDRAULIC PUMP



AP 801



AP 921



| | | |
|---------------------------|-----------------------|-------------------------|
| Code | 4075 | 4076 |
| Model | AP 801 | AP 921 |
| Rated Pressure | 10,000 psi | 10,000 psi |
| Usable Oil Capacity | 42 cu. in. | 50 cu. in. |
| Output Flow Rate (cu.in.) | Unload 30 Load 6.7 | Unload 42.7 Load 6.7 |
| Air Pressure Range | 70 - 170 psi | 70 - 170 psi |
| Air Consumption | 10 cfm | 9 cfm |
| Weight | 7 kg | 6 kg |

ACCESSORIES

4800
C101



Small Mouth Mity Bite
5 ton capacity

4801
C101N



Right Angle Small Mouth Mity Bite
5 ton In-line pull capacity
3 ton right angle pull capacity

4802
C102N




Box Clamp with different Jaw Length
3 ton capacity

4803
C102NN



Box Clamp with Pull Bracket
3 ton In-line pull capacity
2 ton right angle pull capacity

4804
C601N



Right Angle Clamp & Yoke
5 ton In-line pull capacity
3 ton right angle pull capacity

4805
C602



Right Angle Clamp & Yoke with a link
5 ton In-line pull capacity
3 ton right angle pull capacity
3 ton multi-direction pull capacity

4825
8P-111



Ball Pivot Base

4830



1/4 NPT Ram Half 1/4 NPT Hose Half

4831



3/8 NPT Ram Half 3/8 NPT Hose Half

4850



Male Connector

4851



Female Connector

4852



5" Extension Tube

4853



10" Extension Tube

4854



20" Extension Tube

4855



25" Extension Tube