





Model	<b>HZ-6610</b>
Engine Power	7.0/212/4.2 hp/cc/kw
Capacity	3~5 CBM/hr
Wood Diameter	100 mm
Permitted Wood Width	150 mm
Blade Type	Twin Reversible Blade
Wheel Size	3.5~4
Roller Max.	2400 rpm
Weight	104 kg
Dimensions	880 x 565 x 870 mm



Model	<b>HZ-6620-12</b>
Engine power	<b>7.0/212/4.2 hp/cc/kw</b>
Blade Type	<b>12"</b>
RPM	<b>3600</b>
Dimensions	<b>44 x 45 x 98 cm</b>
Weight	<b>26 kg</b>



Model	<b>HZ-6620-16 (Engine)</b>	<b>HZ-6621-16 (Motor)</b>
Engine Power	<b>7.0/212/4.2 hp/cc/kw</b>	<b>1.1kw/2p/230v/50Hz</b>
Blade Type	<b>16"</b>	<b>16"</b>
RPM	<b>3600</b>	<b>3600</b>
Dimensions	<b>52 x 44 x 98 cm</b>	<b>52 x 44 x 98 cm</b>
Weight	<b>31 kg</b>	<b>35.2 kg</b>



Model	<b>HZ-9020</b>
Planting Depth	<b>3.5-6.5 cm / 5-8 cm / 6-9 cm</b>
Number of Rollers	<b>8 sets (Suitable for Seeds of 0.5-2 cm Diameter)</b>
Plant Spacing Range	<b>15-33 cm</b>
Soil Covering Mechanism	<b>Yes</b>
Hopper Capacity	<b>6 L</b>
Applicable	<b>Crops, Maize, Cotton, Soybeans, Mung Beans, Beans, Wheat, Cowpea and Ground Nut etc.</b>
Weight	<b>10 kg</b>



Model	<b>HZ-9010-52</b>	<b>HZ-9012-63</b>
Engine Power	<b>IE44F 1.4/6000 kw/rpm</b>	<b>IE48F 2.2/6000 kw/rpm</b>
Displacement	<b>52 cc</b>	<b>63 cc</b>
Fuel Tank Capacity	<b>1.3 L</b>	<b>1.8 L</b>
Propeller Diameter	<b>180 mm</b>	<b>180 mm</b>
Diameter of Aluminium Pipe	<b>26 mm</b>	<b>26 mm</b>
Weight	<b>11 kg</b>	<b>12.5 kg</b>